

QAP-001851661
DTD 29 JAN 08

DEFENSE SUPPLY CENTER PHILADELPHIA
QUALITY ASSURANCE PROVISION

NSN: 5315-00-185-1661
P/N: 4G19051-103A

This Quality Assurance Provision (**QAP**) is to be used in conjunction with any orders/contracts for the cited **NSN**

FIRST ARTICLE REQUIREMENTS <i>(AFMCI 64-110, AFMCI 23-102 and FAR Part 9, Sub Part 9.3) (Additional Instructions on Page 3)</i>			1. DATE 9 May 02
2. P/R/MIPR NUMBER	3. PART NUMBER 4G19051-103A	4. NSN 5315-00-185-1661	
5. FIRST ARTICLE QUANTITY THE FIRST ARTICLE IS <u>2</u> UNIT(S) OF LOT/ITEM _____ AND WILL BE: <input type="checkbox"/> PART OF PRODUCTION QUANTITY <input checked="" type="checkbox"/> IN ADDITION TO PRODUCTION QUANTITY			
6. ARTICLES <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT SERVE AS A MANUFACTURING STANDARD		7. LONG LEAD TIME ITEMS <input type="checkbox"/> REQUIRED <input type="checkbox"/> NOT REQUIRED <i>(See FAR 52.209-3 or -4, alternate II)</i>	
8. SPECIAL REQUIREMENT/PRODUCTION FACILITIES <i>(See FAR 52.209-3 or -4 Alternate I)</i> <input checked="" type="checkbox"/> REQUIRED <input type="checkbox"/> NOT REQUIRED "The First Article offered must be manufactured at the facilities in which that item is to be produced under the contract, or if the First Article is a component not manufactured by the contractor, such component must be manufactured at the facilities in which the component is to be produced for the contract. A certification to this effect must accompany each First Article which is offered."			
9. TEST/INSPECTION REQUIREMENTS A. <input type="checkbox"/> CONTRACTOR TESTING <input checked="" type="checkbox"/> GOVERNMENT TESTING Performance or other characteristics which the First Articles must meet are <u>DATA PACKAGE/CONTRACT</u> B. The detailed technical requirements for First Article approval tests are contained in <u>WITHIN THE DATA PACKAGE/CONTRACT</u> . <i>(Cite Spec and Para number)</i> C. <input type="checkbox"/> TEST PLAN REQUIRED (1) DD Form 1423 ELIN _____ (2) Delivery due _____ calendar days from date of contract. (3) Number of days for government approval/disapproval _____ days. D. Contractor's notification to ACO and _____ <i>(Requesting Activity)</i> of test time and location due _____ days prior to start of testing. E. <input type="checkbox"/> TEST REPORT REQUIRED (1) DD Form 1423 ELIN _____ (2) Due _____ calendar days from date of contract. (3) Forwarded to _____ (4) Government written notice of approval/disapproval due _____ days after receipt of contractor's report.		F. FIRST ARTICLE DELIVERY: (1) Due within <u>110</u> calendar days from date contract. (2) Notify <u>15</u> calendar days prior to shipment. (3) Delivered to government at <u>DLA Central Receiving/ DDWG-ER</u> <u>Special Handling, First Article Unit</u> <u>455 Byron St, Bldg 376 Robins AFB, GA 31098-1887</u> <i>(Set Forth Consignee and Address)</i> (4) Government written notice of approval/disapproval within <u>105</u> days after receipt of first article package. G. Estimated cost of government testing/inspection evaluation. \$ <u>\$2,500.00</u>	
10. DISPOSITION OF FIRST ARTICLES <input checked="" type="checkbox"/> Approved First Articles will be forwarded to <u>USAF SUPPLY</u> <input checked="" type="checkbox"/> <u>1</u> <i>(insert quantity)</i> first articles will be expended intesting. Residual components of disapproved first articles <input checked="" type="checkbox"/> will be returned to the contractor/ <input type="checkbox"/> will be retained by _____ pending disposition instructions from the contractor. <input type="checkbox"/> First articles will be installed on aircraft/equipment to determine proper fit/function. Approved article will remain on the aircraft/equipment and will not be forwarded to USAF Supply, but will be considered part of the contract quantity. <input checked="" type="checkbox"/> Disapproved first articles will be returned to the contractor/ <input type="checkbox"/> will be retained by _____ pending disposition instructions from the contractor <input type="checkbox"/> On purchase requests designated as direct shipments the following disposition will apply. (NOTE: Always applicable on Foreign Military Sales (FMS)). a. Approved first articles will be returned to the contractor for shipment with production item. b. Disposition of disapproved first articles will remain the same as marked above. <input type="checkbox"/> Other Disposition: _____			

11. CONDITION(S) FOR WAIVER OF FIRST ARTICLE APPROVAL

- a. Offerors who have previously furnished production quantities of the same or similar article to the prime contractor for delivery to the _____ Government, _____ DoD, _____ Air Force.
- b. Offerors currently in production of the same or similar article for a _____ Government, _____ DoD, _____ Air Force contract and who have received First Article approval under the existing contract.
- c. Offerors who have previously furnished production quantities of the same or similar articles for a _____ Government, _____ DoD, _____ Air Force provided articles thus furnished have exhibited satisfactory performance in service, in the opinion of the Air Force.
- d. Provided not more than _____ months have elapsed since completion of the contract.
- e. First Article testing will not be waived.
- f. See Remarks in block 12 below.

NOTE TO BUYER: UNDER CONDITIONS A AND C ABOVE, THE COGNIZANT ENGINEERING ACTIVITY WILL DECIDE WHETHER OR NOT THE ITEM HAS EXHIBITED SATISFACTORY PERFORMANCE IN SERVICE AND PREPARE AND RETAIN SUPPORTING DOCUMENTATION TO FULLY JUSTIFY THIS DECISION. THE BUYER MUST SOLICIT DUAL PRICES (*That is, both with and without requirement for first article approval*) AND MUST FURNISH THE COGNIZANT ENGINEERING ACTIVITY WITH THE FOLLOWING INFORMATION ON THE PREVIOUSLY SUPPLIED ARTICLE:

A. PROCURING OFFICE B. CONTRACT NUMBER C. DATE OF CONTRACT D. SPECIFICATION NUMBER AND REVISION

12. REMARKS

13. COGNIZANT ENG ORGANIZATION RESPONSIBLE FOR CONDUCTING AND/OR APPROVING TEST (*Name, Organization, Phone*)

14. PR INITIATOR (*Name, Organization, Phone*)

ENGINEERING DATA LIST		DATE	PAGE	OF	PAGE
		27 Feb 02	1	1	1
NSN	REFERENCE NUMBER	CAGE AND NAME	NOUN		
5315-00-185-1661	4G19051-103A	98897 / Lockheed Martin Corp.	Top Kit - Tube Assembly, Piston Stop		
APPLICATION	TECHNICIAN / ENGINEER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE		
C-5	R. Toong		WR-ALC / TILCB 468-9866		

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4G19051-103A	98897	-	1	S		
DS30003	98897	-		-	-	Cancelled, use STP51-400
STP51-400	98897	D	36	S		Use in lieu of DS30003
DS30000	98897	R	9	S		Use for Finish C, Type II, Class 3.
MIL-I-6868	81349	-		-	-	Cancelled, use ASTM E1444.
ASTM E1444	81346			O		Use in lieu of MIL-I-6868. Publication Date: 10 Feb. 2001
MI-STD-870B, Type II, Class 3	96906			O		Use in lieu of Finish C per DS30000 Publication Date: 09 Dec. 1996
SAE AMS-QQ-P-416A	81343			O		Use as alternate to MIL-STD-870B Publication Date: 01 Feb. 2002
STP63-001	98897	-		-	-	Use MIL-STD-130K
MIL-STD-130K	96906			O		Use in lieu of STP63-001 Publication Date: 15 Jan. 2000
MIL-S-6758 COND F4	81349	-		-	-	Cancelled, use SAE AMS-S-6758
SAE AMS-S-6758 COND F4	81343			O		Use in lieu of MIL-S-6758 Publication Date: 01 July 1998

REMARKS / NOTES (Continue on WR-ALC/TIL FORM 0-762A)

Please see attached engineering notes.

NSN # 5315-00-185-1661

GENERAL NOTES:

ALL GOVERNMENT DOCUMENTS (I.E., MIL-SPECS, FED SPECS, STANDARDS, ETC.) NOTES, CITED, OR OTHERWISE REFERENCED IN THIS PROCUREMENT PACKAGE ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. CONTRACTOR MAY OBTAIN COPIES OF SPECIFICATIONS AND STANDARDS BY WRITING TO THE *DEPARTMENT OF THE NAVY, STANDARDIZATION DOCUMENT DESK, 700 ROBBINS AVENUE, BUILDING #4, SECTION D, PHILADELPHIA PA 19111-5094*. WHEN A CANCELLED GOVERNMENT DOCUMENT IS SUPERSEDED BY ANOTHER GOVERNMENT DOCUMENT, THE SUPERSEDING GOVERNMENT DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED WITHIN THIS DOCUMENT (AFMC FORM 762).

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

NSN # 5315-00-185-1661

- FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.
- WHERE SPECIFIED, CHEM MILLING IS MANDATORY.
- DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.
- DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.
- WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).
- AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".